

Certificate of Compliance

Certificate Number:

UL-US-2140178-3

Report Reference:

E327326-20150803

Issue Date:

2025-05-07

Issued to:

Longvale Ltd

Lancaster Park, Needwood, Burton On Trent, STAFFS, DE13 9PD, GB

This certificate confirms that representative samples of:

NRKH - Proximity Switches

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 508, 18th Ed., Issue Date: 2018-03-30, Revision Date: 2021-07-08

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink that reads 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-2140178-3
Report reference E327326-20150803
Date 2025-05-07

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Proximity Switches

Model(s): Component Head, : CH followed by A or N, followed by 1, 4, 5, 6, 7, B, C, D, or E, followed by WL, WLA, WLT or WLTA, followed by M20 or NPT may be followed by alphanumeric characters.

Flow, Level, pressure switches

Model(s): FL or LS or PS respectively, followed by A or F followed by 1, 4, 5, 6, 7, B, C, D, or E, followed by 1 or 2, followed by 1 or 2, followed by alphanumeric characters, maybe followed by blank or D, followed by W, WL, WLR, WLRT, WLR90, WLR3, WLA, WLRA or WLRTA, maybe followed by alphanumeric characters.

Proximity Switches, Ferro Switch, Wireable Twin Head

Model(s): FS- followed by A, B, C, D, E or F followed by 4, B, C or D, followed by 2, followed by 1 or 2, followed by WLR, followed by X and alphanumeric characters may be followed by alphanumeric characters.

Proximity Switches, Ferro switch Series FS

Model(s): Euroswitch, : FS followed by A, B, C, D, E or F followed by 1, 4, 5, 6, 7, B, C, D, OR E, followed by 2, followed by 1 or 2, maybe followed by D, LFO, LFC followed by W, WL, WLR, WLRT, WLR90, WLR3, WLA, WLRA or WLRTA maybe followed by alphanumeric characters.

Proximity Switches, Ferro switch Series FS with flange

Model(s): FS-CYL followed by B or C followed by 1, 4, 5, 6, 7, B, C, D or E followed by 2, followed by 1 or 2, maybe followed by D, LFO, LFC, followed by W, WL, WLR, WLRT, WLR90, WLR3, WLA, WLRA or WLRTA, followed by P and alphanumeric characters denoting body length below the flange,



Certificate of Compliance

Certificate Number:

UL-CA-2133670-3

Report Reference:

E327326-20150803

Issue Date:

2025-05-07

Issued to:

Longvale Ltd
Lancaster Park, Needwood, Burton On Trent, STAFFS, DE13
9PD, GB

This certificate confirms that representative samples of:

NRKH7 - Proximity Switches Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 14, Edition 13, Issue Date 2018-03, Revision Date 2022-06

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink that reads 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-2133670-3
Report reference E327326-20150803
Date 2025-05-07

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Proximity Switches

Model(s): Component Head, : CH followed by A or N, followed by 1, 4, 5, 6, 7, B, C, D, or E, followed by WL, WLA, WLT or WLTA, followed by M20 or NPT may be followed by alphanumeric characters.

Flow, Level, pressure switches

Model(s): FL or LS or PS respectively, followed by A or F followed by 1, 4, 5, 6, 7, B, C, D, or E, followed by 1 or 2, followed by 1 or 2, followed by alphanumeric characters, maybe followed by blank or D, followed by W, WL, WLR, WLRT, WLR90, WLR3, WLA, WLRA or WLRTA, maybe followed by alphanumeric characters.

Proximity Switches, Ferro Switch, Wireable Twin Head

Model(s): FS- followed by A, B, C, D, E or F followed by 4, B, C or D, followed by 2, followed by 1 or 2, followed by WLR, followed by X and alphanumeric characters may be followed by alphanumeric characters.

Proximity Switches, Ferro switch Series FS

Model(s): Euroswitch, : FS followed by A, B, C, D, E or F followed by 1, 4, 5, 6, 7, B, C, D, OR E, followed by 2, followed by 1 or 2, may be followed by D, LFO, LFC followed by W, WL, WLR, WLRT, WLR90, WLR3, WLA, WLRA or WLRTA maybe followed by alphanumeric characters.

Proximity Switches, Ferro switch Series FS with flange

Model(s): FS-CYL followed by B or C followed by 1, 4, 5, 6, 7, B, C, D or E followed by 2, followed by 1 or 2, maybe followed by D, LFO, LFC, followed by W, WL, WLR, WLRT, WLR90, WLR3, WLA, WLRA or WLRTA, followed by P and alphanumeric characters denoting body length below the flange,



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.