

# Certificate of Compliance

## Certificate Number:

UL-US-L327326-11-  
13705102-6

## Report Reference:

E327326-20150731

## Issue Date:

2025-05-07

Issued to:

**Longvale Ltd**  
**Lancaster Park, Needwood, Burton On Trent, STAFFS, DE13**  
**9PD, GB**

This certificate confirms that representative samples of:

**NRKH - Proximity Switches**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**UL 508, 18th Ed., Issue Date: 2018-03-30, Revision Date: 2021-07-08**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink that reads 'David Piecuch'.

David Piecuch  
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L327326-11-13705102-6  
Report reference E327326-20150731  
Date 2025-05-07

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Flow, Level, pressure switches

**Model(s):** FL or LS or PS followed by A or F followed by 1, 4, 5, 6, 7, B, C, D, or E, followed by 1 or 2, followed by 1, 1L, 2, or 4L, followed by alphanumeric characters, maybe followed by D, maybe followed by alphanumeric characters

## Proximity Switches, Ferro Switch series FS w/ LED Indication

**Model(s):** FS, followed by G, GI, or GM, followed by 1, 5, 6, 7, or E, followed by 2, followed by 1, 1L, 2, or 4L, maybe followed by E, maybe followed by V2-3, V2-4, V3-3, V3-4, V3-5, V5-3, V5-4 followed by LEDR, LEDG or LEDB, maybe followed by alphanumeric characters.

## Proximity Switches, Ferro switch Series FS DPDT

**Model(s):** FS followed by B, C, J, K, followed by 1, 4, 5, 6, 7, B, C, D, or E followed by 2 followed by 1, 1L, 2 or 4L, followed by D, maybe followed by E, V2-4, V3-4, V3-5, V5-4, LFO, LFC maybe followed by alphanumeric characters

## Proximity Switches, Ferro switch Series FS SPDT

**Model(s): Euroswitch, :** FS followed by A, B, C, D, E, F, J, J-SE, K, K-SE, L, L-SE, M, M-SE, N, O, P, P-SE, Q, Q-SE, Z, B-D, C-D, J-D, K-D followed by 1, 4, 5, 6, 7, B, C, D or E followed by 2 followed by 1, 1L, 2 or 4L maybe followed by E, SE, V2-3, V2-4, V3-3, V3-4, V3-5, V5-3, V5-4, LFO, LFC maybe followed by alphanumeric characters.

## Proximity Switches, Ferro switch Series FS with customer specific process connection

**Model(s):** FS-X, followed by alphanumeric characters

## Proximity Switches, Ferro switch Series FS with flange, SPDT or DPDT

**Model(s):** FS-CYL followed by B or C followed by 1, 4, 5, 6, 7, B, C, D or E followed by 2, followed by 1, 1L, 2 or 4L, maybe followed by D-, maybe E, LFO, LFC, V2-3, V2-4, V3-3, V3-4, V3-5, V5-3, V5-4 followed by P and alphanumeric characters denoting body length below the flange.



# Certificate of Compliance

**Certificate Number:**

UL-CA-L327326-31-  
13705102-6

**Report Reference:**

E327326-20150731

**Issue Date:**

2025-05-07

Issued to:

**Longvale Ltd**  
**Lancaster Park, Needwood, Burton On Trent, STAFFS, DE13**  
**9PD, GB**

This certificate confirms that representative samples of:

**NRKH7 - Proximity Switches Certified for Canada**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**CSA C22.2 No. 14, Edition 13, Issue Date 2018-03, Revision Date 2022-06**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink that reads 'David Piecuch'.

David Piecuch  
UL Mark Certification Program Owner

# CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L327326-31-13705102-6  
Report reference E327326-20150731  
Date 2025-05-07

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Flow, Level, pressure switches

**Model(s):** FL or LS or PS followed by A or F followed by 1, 4, 5, 6, 7, B, C, D, or E, followed by 1 or 2, followed by 1, 1L, 2, or 4L, followed by alphanumeric characters, maybe followed by D, maybe followed by alphanumeric characters

## Proximity Switches, Ferro Switch series FS w/ LED Indication

**Model(s):** FS, followed by G, GI, or GM, followed by 1, 5, 6, 7, or E, followed by 2, followed by 1, 1L, 2, or 4L, maybe followed by E, maybe followed by V2-3, V2-4, V3-3, V3-4, V3-5, V5-3, V5-4 followed by LEDR, LEDG or LEDB, maybe followed by alphanumeric characters.

## Proximity Switches, Ferro switch Series FS DPDT

**Model(s):** FS followed by B, C, J, K, followed by 1, 4, 5, 6, 7, B, C, D, or E followed by 2 followed by 1, 1L, 2 or 4L, followed by D, maybe followed by E, V2-4, V3-4, V3-5, V5-4, LFO, LFC maybe followed by alphanumeric characters

## Proximity Switches, Ferro switch Series FS SPDT

**Model(s): Euroswitch, :** FS followed by A, B, C, D, E, F, J, J-SE, K, K-SE, L, L-SE, M, M-SE, N, O, P, P-SE, Q, Q-SE, Z, B-D, C-D, J-D, K-D followed by 1, 4, 5, 6, 7, B, C, D or E followed by 2 followed by 1, 1L, 2 or 4L maybe followed by E, SE, V2-3, V2-4, V3-3, V3-4, V3-5, V5-3, V5-4, LFO, LFC maybe followed by alphanumeric characters.

## Proximity Switches, Ferro switch Series FS with customer specific process connection

**Model(s):** FS-X, followed by alphanumeric characters

## Proximity Switches, Ferro switch Series FS with flange, SPDT or DPDT

**Model(s):** FS-CYL followed by B or C followed by 1, 4, 5, 6, 7, B, C, D or E followed by 2, followed by 1, 1L, 2 or 4L, maybe followed by D-, maybe E, LFO, LFC, V2-3, V2-4, V3-3, V3-4, V3-5, V5-3, V5-4 followed by P and alphanumeric characters denoting body length below the flange.



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.